

# TVT

secure the world with you

**HD** CCTV  
Over Coax



CE FC RoHS

## TD-3200H1

TD-3204H1 / TD-3208H1 / TD-3216H1

5MP / 4MP / 3MP / 1080P / 960P / 720P HD NVR



4 / 8 / 16 CH NVR HDMI DISPLAY

HIGH QUALITY, GREATER RELIABILITY & DIVERSITY OF PRODUCT LINE

STRENGTHEN YOUR SECURITY

HI  
HAMS  
INDIA

DISTRIBUTOR AND SERVICE PARTNERS IN INDIA | SUPPORT: +91-11-41576969 | EMAIL: SUPPORT@TVTINDIA.COM | WWW.TVTINDIA.COM

secure the world with you






## Introduction

TD-3200H1 series are 4 / 8 / 16 CH 5MP / 4MP / 3MP / 1080P / 960P / 720P high definition NVRs, which adopt the most advanced SOC technique to ensure high definition recording in each channel and realize outstanding robustness of the system. TD-3200H1 support 4 / 8 / 16 CH IP input, simultaneous 4 / 8 / 16 CH playback, and 4K high definition display. The series of product can meet different security requirements of home, financial, commerce, enterprise, transportation and government, etc.

## Characteristics

- Support 4 / 8 / 16 CH 5MP / 4MP / 3MP / 1080P / 960P / 720P IP input
- Adopt standard H.265 high profile compression format to get high-quality video at much lower bit rate
- Intuitive and user-friendly Graphic User Interface ( GUI ), Windows style operation by mouse
- Multi-mode recording: manual / timer / motion / sensor
- Playback : 4 / 8 / 16 CH simultaneous playback
- Search : time slice, time, event ( manual, sensor, motion ), tag search
- Express and flexible backup via USB, network and so on
- Pentaplex : preview, record, playback, backup and remote access
- DHCP, DDNS, PPPoE network protocol and CMS supported
- Remote control via IE or CMS : preview, playback, backup, PTZ and configuration
- Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
- Multi-user online simultaneously
- Authorization management, log view and device status view
- 4K output, true high resolution display
- Support PTZ preset and auto cruise, up to 255 presets and 8 cruises
- Support NAT function and QRCode scanning by mobile phone and PAD
- Powerful smart phone & Pad surveillance with iOS and Android OS

## Dimensions





## Specification

Model		TD-3204H1	TD-3208H1	TD-3216H1
System	Compression	Standard H.265		
	OS	Embedded Linux		
Video	Network Input	4 CH IPC input	8 CH IPC input	16 CH IPC input
	Network Access Bandwidth	40Mbps	64Mbps	80Mbps
	Network Access Format	5MP / 4MP / 3MP / 1080P / 960P / 720P@25 / 30fps		
	Output	HDMI × 1 : 4K × 2K / 1920 × 1080 / 1280 × 1024 ( HDMI-VGA cable optional, 1920 × 1080 / 1280 × 1024 )		
Audio	Network Input	4 CH IPC audio input	8 CH IPC audio input	16 CH IPC audio input
	2-way Audio	No	RCA × 1	RCA × 1
	Local Output	RCA × 1		
Record	Record Stream	Dual stream recording		
	Resolution	5MP / 4MP / 3MP / 1080P / 960P / 720P		
	Mode	Manual, timer, motion, sensor		
Playback	Simultaneous Playback	Max 4 CH	Max 8 CH	Max 16 CH
	Search	Time slice / time / event / tag search		
	Smart Search	Highlighted color to display the camera record in a certain period of time, different colors refers to different record events		
	Function	Play, pause, FF, FB, digital zoom, etc.		
Alarm	Mode	Manual, sensor, motion, exception		
	Input	No local input, 4 CH IPC alarm input	4 CH local input, 8 CH IPC alarm input	4 CH local input, 16 CH IPC alarm input
	Output	No	1 CH	1 CH
	Triggering	Record, snap, preset, e-mail, etc.		
Network	Interface	RJ45 10 / 100 Mbps × 1		
	Protocol	TCP / IP, PPPoE, DHCP, DNS, DDNS, UPnP, NTP, SMTP		
	Web Client	Max 10 users online		
Mobile Device	OS	iOS, Android		
Storage	HDD	SATA × 1		
Backup	Local Backup	U disk, USB mobile HDD		
	Network Backup	Yes		
Port	USB	USB 2.0 × 2 ( one in the front panel and the other in the rear panel )		
	Remote Controller	Optional		
Others	Power Supply	DC 12V		
	Consumption	≤ 5W ( without HDD )		
	Dimensions (mm)	255 × 210 × 42 ( W × D × H ) 300 × 270 × 55 ( W × D × H ) 300 × 248 × 52 ( W × D × H )		
	Work Environment	-10 ~ 50 °C , 10% ~ 90% humidity		

## Rear Panels

TD-3204H1



TD-3208H1 / TD-3216H1

