



DICHIARAZIONE DI CONFORMITA' UE

N. **1803001**

Modello di prodotto/prodotto:

Nexus/3GP

Fabbricante:

INIM ELECTRONICS S.R.L.
VIA DEI LAVORATORI 10 - FRAZIONE CENTOBUCHI
63076 MONTEPRANDONE (AP) - ITALY
 tel.: +39 0735 705007, fax. +39 0735 704912
 web: www.inim.biz, e-mail: info@inim.biz

La presente dichiarazione di conformità è rilasciata sotto la responsabilità esclusiva del fabbricante.

Oggetto della dichiarazione:

Modello di prodotto/prodotto: **Nexus/3GP**

Variante/i: **Nexus/3GU** (1)

Descrizione: **Modulo GSM/GPRS e 3G per centrali d'allarme intrusione e rapina con interfaccia I-BUS**

L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

2014/53/UE (RED)

Riferimento alle pertinenti norme armonizzate o riferimenti alle altre specifiche tecniche usate in relazione alle quali è dichiarata la conformità:

SALUTE E SICUREZZA (art. 3.1a)

EN 62311:2008

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013

COMPATIBILITA' Elettromagnetica (art. 3.1b)

EN 301 489-1 V2.1.1

Draft EN 301 489-52 V1.1.0

USO EFFICACE ED EFFICIENTE DELLO SPETTRO RADIO (art. 3.2)

EN 301 511 V9.0.2

EN 301 908-1 V11.1.1

EN 301 908-2 V11.1.1

ALTRI REQUISITI ESSENZIALI (art. 3.3)

NON APPLICABILE



L'oggetto della dichiarazione di cui sopra è anche conforme alle seguenti norme:

EN 50131-1:2006 + A1:2009

EN 50131-10:2014

(2)

EN 50136-1:2012

EN 50136-2:2013

(2)

EN 61000-6-3:2007 + A1:2011

EN 50130-4:2011 + A1:2014

EN 50130-5:2011

(2)

CEB T 014:2013-04 (ed.3)

(2)

con le seguenti prestazioni:

Grado di sicurezza: 3

(2)

Classe ambientale: II

(2)

Categoria ATS: SP6

(2)



Note:

(1) E' una variante con morsetti a vista;

(2) Sono obbligatorie impostazioni specifiche in fase d'installazione: seguire attentamente le istruzioni riportate nei manuali.

Grado di sicurezza e categoria ATS dipendono dalla configurazione della centrale: qui vengono indicati i valori massimi raggiungibili.

A riguardo di Nexus/3GU, esso deve essere installato all'interno di centrali I-BUS per ottenere le prestazioni qui dichiarate.

Monteprandone, 23/03/2018

Firmato a nome e per conto del fabbricante da:


 Baldovino Ruggieri
 (Amministratore Delegato)



EU DECLARATION OF CONFORMITY

No. **1803001**

Product model/product:

Nexus/3GP

Manufacturer:

INIM ELECTRONICS S.R.L.
VIA DEI LAVORATORI 10 - FRAZIONE CENTOBUCHI
63076 MONTEPRANDONE (AP) - ITALY
 tel.: +39 0735 705007, fax. +39 0735 704912
 web: www.inim.biz, e-mail: info@inim.biz

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration:

Product model/product: **Nexus/3GP**

Variant(s): **Nexus/3GU** ⁽¹⁾

Description: **GSM/GPRS and 3G module for intrusion and hold-up control panels with I-BUS interface**

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

2014/53/EU (RED)

References to the relevant harmonised standards or references to the other technical specifications in relation to which conformity is declared:

HEALTH & SAFETY (art. 3.1a)

EN 62311:2008

EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013

ELECTROMAGNETIC COMPATIBILITY (art. 3.1b)

EN 301 489-1 V2.1.1

Draft EN 301 489-52 V1.1.0

EFFECTIVE AND EFFICIENT USE OF RADIO SPECTRUM (art. 3.2)

EN 301 511 V9.0.2

EN 301 908-1 V11.1.1

EN 301 908-2 V11.1.1

OTHER ESSENTIAL REQUIREMENTS (art. 3.3)

NOT APPLICABLE



The object of the declaration described above is also in conformity with the following standards:

EN 50131-1:2006 + A1:2009

EN 50131-10:2014

(2)

EN 50136-1:2012

EN 50136-2:2013

(2)

EN 61000-6-3:2007 + A1:2011

EN 50130-4:2011 + A1:2014

EN 50130-5:2011

(2)

CEB T 014:2013-04 (ed.3)

(2)

with the following performances:

Security grade: 3

(2)

Environmental class: II

(2)

ATS category: SP6

(2)



Notes:

(1) It's a variant with external terminal block;

(2) Specific settings are mandatory during the installation phase: carefully follow the instructions described in the manuals.

Security grade and ATS categories depend on the control panel configuration: maximum reachable values are here shown.

About Nexus/3GU, you must install it into I-BUS control panels in order to obtain performances here declared.

Monteprandone, 23/03/2018

Signed for and on behalf of the manufacturer by:

Baldovino Ruggieri
(Managing Director)